

Contents

- Aitken, B.G., s. Echeverría, L.M. 428–436
- Albarede, F., s. Juteau, M., et al. 331–340
- Allen, P., s. Condie, K.C., et al. 93–103
- André, L., Deutsch, S.: Magmatic $^{87}\text{Sr}/^{86}\text{Sr}$ relicts in hydrothermally altered quartz diorites (Brabant Massif, Belgium) and the role of epidote as a Sr filter 104–112
- Barbey, P., s. Weber, C. 481–491
- Barnett, R.L., s. Mohr, D.W., et al. 400–411
- Barszczus, H.G., s. Liotard, J.M., et al. 260–268
- Bebout, G.E., Carlson, W.D.: Fluid evolution and transport during metamorphism: evidence from the Llano Uplift, Texas 518–529
- Becker, S.M., s. Brown, P.E. 57–70
- Bhatia, M.R., Crook, K.A.W.: Trace element characteristics of graywackes and tectonic setting discrimination of sedimentary basins 181–193
- Bird, D.K., s. Manning, C.E. 437
- Black, L.P., s. Higgins, N.C., et al. 248–259
- Borba, G.S., s. Long, L.E., et al. 341–350
- Bowling, G.P., s. Condie, K.C., et al. 93–103
- Bradshaw, J.Y., s. Mattinson, J.M., et al. 383–392
- Brey, G.P., Nickel, K.G., Kogarko, L.: Garnet-pyroxene equilibria in the system $\text{CaO}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ (CMAS): prospects for simplified ('T-independent') thermobarometry and an eclogite-barometer 448–455
- Brown, P.E., Becker, S.M.: Fractionation, hybridisation and magma-mixing in the Kialineq centre, East Greenland 57–70
- Brown, W.L., Macaudière, J.: Mechanical twinning of plagioclase in a deformed meta-anorthosite – the production of M-twinning 44–56
- Carlson, W.D.: Reversed pyroxene phase equilibria in $\text{CaO}-\text{MgO}-\text{SiO}_2$ from 925° to 1,175° C at one atmosphere pressure 218–224
- Carlson, W.D.: Vanadium pentoxide as a high-temperature solvent for phase equilibrium studies in $\text{CaO}-\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$ 89–92
- Carlson, W.D., s. Bebout, G.E. 518–529
- Chopin, C., Klaska, R., Medenbach, O., Dron, D.: Ellenbergerite, a new high-pressure Mg–Al–(Ti,Zr)-silicate with a novel structure based on face-sharing octahedra 316–321
- Clauer, N., s. Hunziker, J.C., et al. 157–180
- Condie, K.C., Bowling, G.P., Allen, P.: Origin of granites in an Archean high-grade terrane, southern India 93–103
- Crawford, M.L., s. Stout, M.Z., et al. 236–247
- Crook, K.A.W., s. Bhatia, M.R. 181–193
- Cundari, A., s. Dal Negro, A., et al. 35–43
- Dal Negro, A., Cundari, A., Piccirillo, E.M., Molin, G.M., Uliana, D.: Distinctive crystal chemistry and site configuration of the clinopyroxene from alkali basaltic rocks. The Nyambeni clinopyroxene suite, Kenya 35–43
- Dallmeyer, R.D., s. Hunziker, J.C., et al. 157–180
- De Fino, M., La Volpe, L., Peccerillo, A., Piccarreta, G., Poli, G.: Petrogenesis of Monte Vulture volcano (Italy): inferences from mineral chemistry, major and trace element data 135–145
- Dennis, P.F., s. Elphick, S.C., et al. 322–330
- Deutsch, S., s. André, L. 104–112
- Dickenson, M.P., Hess, P.C.: The structural role and homogeneous redox equilibria of iron in peraluminous, metaluminous and peralkaline silicate melts 207–217
- Donnelly-Nolan, J.M., s. Grove, T.L. 281–302
- Dostal, J., s. Liotard, J.M., et al. 260–268
- Drach, V. von, Marsh, B.D., Wasserburg, G.J.: Nd and Sr isotopes in the Aleutians: multicomponent parenthood of island-arc magmas 13–34
- Dron, D., s. Chopin, C., et al. 316–321
- Dujon, S.C., Lagache, M.: The influence of fluid unmixing on cation exchange between plagioclases and aqueous chloride solutions at 700° C, 1 kbar 128–134
- Dupuy, C., s. Liotard, J.M., et al. 260–268
- Echeverría, L.M., Aitken, B.G.: Pyroclastic rocks: another manifestation of ultramafic volcanism on Gorgona Island, Colombia 428–436
- Elphick, S.C., Dennis, P.F., Graham, C.M.: An experimental study of the diffusion of oxygen in quartz and albite using an overgrowth technique 322–330
- Ferrara, G., Preite-Martinez, M., Taylor, H.P. Jr., Tonarini, S., Turi, B.: Evidence for crustal assimilation, mixing of magmas, and a ^{87}Sr -rich upper mantle. An oxygen and strontium isotope study of the M. Vulsini volcanic area, Central Italy 269–280
- Flehmig, W., s. Hunziker, J.C., et al. 157–180
- Fontan, F., s. Fransolet, A.-M., et al. 502–517
- Fransolet, A.-M., Keller, P., Fontan, F.: The phosphate mineral associations of the Tsaobismund pegmatite, Namibia 502–517
- Franz, G., Thomas, S., Smith, D.C.: High-pressure phengite decomposition in the Weissenstein eclogite, Münchberger Gneiss Massif, Germany 71–85
- Frey, M., s. Hunziker, J.C., et al. 157–180
- Friedrichsen, H., s. Hunziker, J.C., et al. 157–180
- Ghent, E.D., s. Stout, M.Z., et al. 236–247
- Ghose, S., Okamura, F.P., Ohashi, H.: The crystal structure of $\text{CaFe}^{2+}\text{SiAlO}_6$ and the crystal chemistry of $\text{Fe}^{3+}-\text{Al}^{3+}$ substitution in calcium Tschermak's pyroxene 530–535
- Gottfried, D., s. Stern, R.J. 492–501
- Graham, C.M., s. Elphick, S.C., et al. 322–330
- Grove, T.L., Donnelly-Nolan, J.M.: The evolution of young silicic lavas at Medicine Lake Volcano, California: Implications for the origin of compositional gaps in calc-alkaline series lavas 281–302
- Hensen, B.J.: Theoretical phase relations involving cordierite and garnet revisited: the influence of oxygen fugacity on the stability of sapphirine and spinel in the system $\text{Mg}-\text{Fe}-\text{Al}-\text{Si}-\text{O}$ 362–367
- Hess, P.C., s. Dickenson, M.P. 207–217
- Higgins, N.C., Turner, N.J., Black, L.P.: The petrogenesis of an I-type volcanic-plutonic suite: The St. Marys Porphyry, Tasmania 248–259
- Hill, R.I., Silver, L.T., Taylor, H.P. Jr.: Coupled Sr-O isotope variations as an indicator of source heterogeneity for the Northern Peninsular Ranges batholith 351–361
- Hochstrasser, K., s. Hunziker, J.C., et al. 157–180
- Hölscher, A., Schreyer, W., Lattard, D.: High-pressure, high-temperature stability of surinamite in the system $\text{MgO}-\text{BeO}-\text{Al}_2\text{O}_3-\text{SiO}_2-\text{H}_2\text{O}$ 113–127
- Hoinke, G.: Effect of grossular-content in garnet on the partitioning of Fe and Mg between garnet and biotite. An empirical investigation on staurolite-zone samples from the Austroalpine Schneeberg complex 393–399
- Hunziker, J.C., Frey, M., Clauer, N., Dallmeyer, R.D., Friedrichsen, H., Flehmig, W., Hochstrasser, K., Roggwiler, P., Schwander, H.: The evolution of illite to muscovite: mineralogical and isotopic data from the Glarus Alps, Switzerland 157–180

- Hurford, A.J.: Cooling and uplift patterns in the Lepontine Alps, South Central Switzerland and an age of vertical movement on the Insubric fault line 413-427
- Jacobson, C.E., Sorensen, S.S.: Amphibole compositions and metamorphic history of the Rand Schist and the greenschist unit of the Catalina Schist, Southern California 308-315
- Jäger, E., s. Stöckhert, B., et al. 456-470
- Jahn, B.: Mid-ocean ridge or marginal basin origin of the East Taiwan Ophiolite: chemical and isotopic evidence 194-206
- Javoy, M., Stillman, C.J., Pineau, F.: Oxygen and hydrogen isotope studies on the basal complexes of the Canary Islands: Implications on the conditions of their genesis 225-235
- Johnston, A.D.: Anhydrous P-T phase relations of near-primary high-alumina basalt from the South Sandwich Islands. Implications for the origin of Island arcs and tonalite-trondhjemite series rocks 368-382
- Juteau, M., Michard, A., Albareda, F.: The Pb-Sr-Nd isotope geochemistry of some recent circum-Mediterranean granites 331-340
- Keller, P., s. Fransolet, A.-M., et al. 502-517
- Kimbrough, D.L., s. Mattinson, J.M., et al. 383-392
- Klaska, R., s. Chopin, C., et al. 316-321
- Kogarko, L., s. Brey, G.P., et al. 448-455
- Kouvo, O., s. Patchett, J. 1-12
- La Volpe, L., s. De Fino, M., et al. 135-145
- Lagache, M., s. Dujon, S.C. 128-134
- Larson, P.B., Taylor, H.P. Jr.: $^{18}\text{O}/^{16}\text{O}$ ratios in ash-flow tuffs and lavas erupted from the central Nevada caldera complex and the central San Juan caldera complex, Colorado 146-156
- Lattard, D., s. Hölscher, A., et al. 113-127
- Liotard, J.M., Barszczus, H.G., Dupuy, C., Dostal, J.: Geochemistry and origin of basaltic lavas from Marquesas Archipelago, French Polynesia 260-268
- Long, L.E., Sial, A.N., Nekvasil, H., Borba, G.S.: Origin of granite at Cabo de Santo Agostinho, Northeast Brazil 341-350
- Macaudière, J., s. Brown, W.L. 44-56
- Manning, C.E., Bird, D.K.: Hydrothermal clinopyroxenes of the Skaergaard intrusion 437-447
- Marsh, B.D., s. Drach, V. von, et al. 13-34
- Mattinson, J.M., Kimbrough, D.L., Bradshaw, J.Y.: Western Fiordland orthogneiss: early cretaceous arc magmatism and granulite facies metamorphism, New Zealand 383-392
- Medenbach, O., s. Chopin, C., et al. 316-321
- Michard, A., s. Juteau, M., et al. 331-340
- Michie, J., s. Mohr, D.W., et al. 400-411
- Mohr, D.W., Barnett, R.L., Michie, J.: Chemical processes and migration of elements during retrogression of a staurolite-zone assemblage in western North Carolina 400-411
- Molin, G.M., s. Dal Negro, A., et al. 35-43
- Nekvasil, H., s. Long, L.E., et al. 341-350
- Nickel, K.G., s. Brey, G.P., et al. 448-455
- Ohashi, H., s. Ghose, S., et al. 530-535
- Okamura, F.P., s. Ghose, S., et al. 530-535
- Patchett, J., Kouvo, O.: Origin of continental crust of 1.9-1.7 Ga age: Nd isotopes and U-Pb zircon ages in the Svecofennian terrain of South Finland 1-12
- Peccerillo, A., s. De Fino, M., et al. 135-145
- Piccarreta, G., s. De Fino, M., et al. 135-145
- Piccirillo, E.M., s. Dal Negro, A., et al. 35-43
- Pineau, F., s. Javoy, M., et al. 225-235
- Poli, G., s. De Fino, M., et al. 135-145
- Preite-Martinez, M., s. Ferrara, G., et al. 269-280
- Roggwiler, P., s. Hunziker, J.C., et al. 157-180
- Schreyer, W., s. Hölscher, A., et al. 113-127
- Schwander, H., s. Hunziker, J.C., et al. 157-180
- Sial, A.N., s. Long, L.E., et al. 341-350
- Silver, L.T., s. Hill, R.I., et al. 351-361
- Smith, D.C., s. Franz, G., et al. 71-85
- Sorensen, S.S., s. Jacobson, C.E. 308-315
- Stern, R.J., Gottfried, D.: Petrogenesis of a Late Precambrian (575-600 Ma) bimodal suite in Northeast Africa 492-501
- Stillman, C.J., s. Javoy, M., et al. 225-235
- Stöckhert, B., Jäger, E., Voll, G.: K-Ar age determinations on phengites from the internal part of the Sesia Zone, Western Alps, Italy 456-470
- Stout, M.Z., Crawford, M.L., Ghent, E.D.: Pressure-temperature and evolution of fluid compositions of Al_2SiO_5 -bearing rocks, Mica Creek, B.C., in light of fluid inclusion data and mineral equilibria 236-247
- Taylor, H.P. Jr., s. Ferrara, G., et al. 269-280
- Taylor, H.P. Jr., s. Hill, R.I., et al. 351-361
- Taylor, H.P. Jr., s. Larson, P.B. 146-156
- Tazaki, K.: Observation of primitive clay precursors during microcline weathering 86-88
- Thomas, S., s. Franz, G., et al. 71-85
- Tonarini, S., s. Ferrara, G., et al. 269-280
- Turi, B., s. Ferrara, G., et al. 269-280
- Turner, N.J., s. Higgins, N.C., et al. 248-259
- Uliana, D., s. Dal Negro, A., et al. 35-43
- Voll, G., s. Stöckhert, B., et al. 456-470
- Walker, D.: Melting equilibria in multicomponent systems and liquidus/solidus convergence in mantle peridotite 303-307
- Wasserburg, G.J., s. Drach, V. von, et al. 13-34
- Webb, S.A.C., Wood, B.J.: Spinel-pyroxene-garnet relationships and their dependence on Cr/Al ratio 471-480
- Weber, C., Barbey, P.: The role of water, mixing processes and metamorphic fabric in the genesis of the Baume migmatites (Ardèche, France) 481-491
- Wood, B.J., s. Webb, S.A.C. 471-480

Subject-Index V

List of Locations VIII

Indexed in Current Contents/

Abstracted in Mineralogical Abstracts

